



HILUX

Valid from: April, 2023



GRADE	SFX	Body type	Engine	ccm	Power (HP/kW)	Torque (Nm)	Transmission	Duty and VAT Free Price (USD)	Duty paid (USD w. VAT)
Country 4x2	4x2 / 10	Single Cab	2.4 GD-5	2393	150/110	343	5 M/T	29,600	36,800
Country 4x2	4x2 / 13	Single Cab	2.4 GD-6	2393	150/110	400	6 M/T	30,200	37,600
Country 4x2	4x2 / 14	Single Cab	2.4 GD-6	2393	150/110	400	6 M/T	28,600	35,600
Country 4x4	4x4 / 15	Single Cab	2.4 GD-6	2393	150/110	400	6 M/T	31,100	38,800
Comfort 4x4	4x4 / 16	Single Cab	2.4 GD-6	2393	150/110	400	6 M/T	33,600	41,800
Comfort 4x4	4x4 / 17	Single Cab	2.8 GD-6	2755	205/150	420	6 M/T	36,400	45,400
Work 4x4	4x4 / 18	Extra Cab	2.4 GD-6	2393	150/110	400	6 M/T	35,400	44,100
Active 4x4	4x4 / 19	Extra Cab	2.8 GD-6	2755	205/150	420	6 M/T	39,700	49,500
Country 4x2	4x2 / 1D	Double Cab	2.4 GD-6	2393	150/110	400	6 M/T	33,500	41,700
Country Plus	4x2 / 1Y	Double Cab	2.4 GD-6	2393	150/110	400	6 A/T	37,400	46,700
Country 4x4	4x4 / 1A(AA)	Double Cab	2.4 GD-6	2393	150/110	400	6 M/T	39,000	48,400
Comfort Plus 4x4	4x4 / 1G	Double Cab	2.4 GD-6	2393	150/110	400	6 M/T	41,600	51,700
Comfort Plus 4x4	4x4 / 1H	Double Cab	2.4 GD-6	2393	150/110	400	6 A/T	42,800	53,100
Active 4x4	4x4 / 1I	Double Cab	2.8 GD-6	2755	205/150	420	6 M/T	45,600	56,600
Adventure 4x4	4x4 / 1W	Double Cab	2.8 GD-6	2755	205/150	420	6 M/T	53,300	66,200
Active 4x4	4x4 / 1M	Double Cab	2.8 GD-6	2755	205/150	500	6 A/T	46,900	58,200
Adventure 4x4	4x4 / 1X	Double Cab	2.8 GD-6	2755	205/150	500	6 A/T	54,300	67,500
GRS Edition 4x4	4x4 / GR	Double Cab	2.8 GD-6	2755	205/150	500	6 A/T	57,500	71,400
Country TMT 4x4	4x4 / KA	Double Cab	2.4 GD-6	2755	150/110	400	6 A/T	32,400	49,400
Comfort Plus TMT 4x4	4x4 / KC	Double Cab	2.4 GD-6	2755	150/110	400	6 M/T	39,400	60,300
Country TMT 4x4	4x4 / KB	Double Cab	2.4 GD-6	2755	150/110	400	6 M/T	36,300	55,500
Comfort Plus TMT 4x4	4x4 / KD	Double Cab	2.4 GD-6	2755	150/110	400	6 A/T	39,300	60,200
Active TMT	4x4 / KE	Double Cab	2.4 GD-6	2755	150/110	400	6 A/T	43,200	66,200
Executive Plus TMT 4x4	4x4 / AO	Double Cab	2.8 GD-6	2755	150/110	400	6 A/T	48,400	74,300

EXTRAS	Work	Country	Comfort	Active	Executive	Duty and VAT Free Price (USD)	Duty paid (USD w. VAT)
Metallic paint:	○	○	○	○	○		
Alloy wheels:	○	○	○	○	○		
Leather interior:	○	○	○	○	○		

● = Standard ○ = Option - = Not available

5 M/T = 5 speed manual transmission 6 M/T = 6 speed manual transmission 6 A/T = 6 speed automatic transmission

CONTACT US:

LUSAKA CAIRO RD BRANCH
Nothend Cairo road- Lusaka
Tel: +260971 268 000

LUSAKA NANGWENYA BRANCH
Nangwenya Road- Lusaka
Tel: +260971 268 000

KITWE COPPERBELT BRANCH
Chingola Road- Kitwe
Tel: +260971 260 000

LIVINGSTONE BRANCH
Plot No. 699- Industrial Road- Livingstone
Tel: +260971 268 000

SOLWEZI BRANCH
Kansanshi Mine Road
Tel: +260971 268 000

website: www.toyotazambia.co.zm
e-mail: contact-toyota-zambia@cfao.com



Warranty is valid up to 3 years or 100,000 km for vehicle and 1 year or 30,000 km for conversions, whichever comes first. We reserve the right to alter any details of specifications and equipment without notice. No guarantee is given regarding the accuracy of information within this document. Vehicle body, specifications and trim colours might differ slightly from the data within this document. Please check model availability and full specification details with your Toyota dealer prior to ordering. We cannot accept contractual responsibility for your reliance on the information contained within this document.

HILUX SINGLE CAB

WORK - STANDARD GRADE

Interior:

Air conditioner (manual) (1C - without)
Fabric seats
2 speakers
Power steering
Bench seat
Cup holders
Tilt steering
Glove box with key

Exterior:

Colour painted front bumper
Black front grille
Deck guard frame

Exterior:

Rear step bumper (1C - without)
Mud guards (front and rear)
J-Deck type cargo area (outside hooks)

Safety:

ABS - Anti-lock Braking System
High mounted brake light (LED)
Headlamp levelling (manual)
Driver & passenger airbags (SRS)
EBD - Electronic Brake force Distribution

Technical:

Headlamp 2-bulb halogen

Technical:

Steel wheels
Tyre dimensions 215/65R16C
80L fuel tank capacity
Power socket 12V
Vehicle width 1.800 mm
Overall length 5.330 mm
Overall height 1.690 mm
Min. ground clearance 182 mm (for 2.4 GD-5)
Towing capacity 2.500 kg (with brakes)
Steel spare tyre
Pitch and Bounce Control
ECO driving indicator
Engine oil level warning

COUNTRY on top of WORK

Interior:

Radio AM/FM, MP3, CD (13)
Steering switch controls (13)
Auxiliary input USB (13)
Electric power windows (13)
Wireless power door lock (13)
Electronic adj. outside mirrors (13)
Bench seat

Exterior:

Colour painted front bumper
Rear step bumper (13)
4WD switch (15)

Safety:

Driver, Passenger & Driver knee airbag (SRS)
Power door lock (auto/speed sensitive) - (13)
Immobilizer and siren (13)
Immobilizer (15)

Technical:

Rear differential lock
Steel wheels
Tyre dimensions 205R16C (15)
Tyre dimensions 225/70R17C (13)
Min. ground clearance 294 mm
Towing capacity 3.500 kg (with brakes) (15)
Towing capacity 2.750 kg (with brakes) (13)
Overall height 1.795 mm

COMFORT on top of COUNTRY

Interior:

Wireless power door lock (17)
Electric power windows (17)
Black electronic adj. outside mirrors (17)
Separate front seats
Radio AM/FM, MP3, CD
Auxiliary input USB
Steering switch controls

Safety:


Emergency Brake Signal
Immobilizer (16)
Immobilizer and siren (17)
VSC - Vehicle Stability Control
HAC - Hill Start Assist Control
TSC - Trailer Sway Control

Exterior:

Side steps
Colour painted front bumper
Colour painted front grille (13)
Rear step bumper

Technical:

Steel wheels
Tyre dimensions 225/70R17



HILUX EXTRA CAB

WORK - STANDARD GRADE

Interior:

Radio AM/FM, MP3, CD
Auxiliary input USB
Bluetooth audio & hands-free
Steering switch controls
Cup holders
2 speakers
Air conditioner (manual)
4WD switch
Tilt and telescopic steering adjustment
Power steering
Microphone and microphone amplifier
Glove box with key
Power windows (auto up/down for driver)
Power door lock (auto/speed sensitive)
Jam window protection (driver side)
Electronic adj. outside mirrors

Exterior:

Colour painted front bumper
Mud guards (front and rear)
Over fender wide
A-Deck type cargo area (inside hooks)
Black door handles & outside mirrors
Front grille in black colour
Rear bumper (painted)

Safety:

ABS - Anti-lock Braking System
Immobilizer and siren
High mounted brake light (LED)
Driver & passenger airbags (SRS)
Driver knee airbag (SRS)
EBD - Electronic Brake force Distribution

Technical:

Headlamp 4-bulb halogen
Headlamp levelling (manual)
Rear differential lock
Alloy wheels, tyre dimensions 265/65 R17
80L fuel tank capacity
Power socket (12V)
Pitch and Bounce Control
ECO driving indicator
Engine oil level warning
Steel spare tyre
Optitron gauge lightning
Vehicle width 1.855 mm
Overall length 5.325 mm
Overall height 1.810 mm
Min. ground clearance 311 mm
Towing capacity 3.200 kg (with brakes)

ACTIVE on top of WORK

Interior:

Multimedia touch screen 8" (20 cm)
Reverse camera (back monitor)
Auxiliary input USB
6 speakers
High quality fabric seat material
Multi information display (Colour TFT)
Front cool box function
Glove box with key and damper
Leather steering wheel
Leather shift lever & knob
Door trim in high fabric

Safety:

Immobilizer and siren, ultrasonic sensor
Side airbags (SRS)
Curtain airbags (SRS)
Wireless door lock

Exterior:


Side steps with black cover, narrow
Chrome door handles & outside mirrors
Chrome rear bumper
Front grille in chrome
Outside mirrors electrically adjustable & retractable
Follow me home lighting system

Technical:

Rain sensor, automatic wipers control
Automatic light control
2 power sockets (12V)
iMT - Intelligent Manual Transmission

Technical:

VSC - Vehicle Stability Control
HAC - Hill Start Assist Control
DAC - Downhill Assist Control
TSC - Trailer Sway Control
ECO and POWER drive mode selector
Alloy spare tyre
Overall length 5.345 mm
Towing capacity 3.500 kg (with brakes)
LED type main Headlamp
LED Fog lights
LED rear combination lamps
Auto leveling main headlamps
LSD - Auto Limited Slip Differential



HILUX DOUBLE CAB

WORK - STANDARD GRADE

Interior:

Power steering
Cup holders
Radio AM/FM, MP3, CD
Auxiliary input USB
Bluetooth audio and hands-free
Microphone and microphone amplifier
2 speakers
Fabric seat material
Air conditioner (manual)
Tilt and telescopic steering adjustment
Seat belt warning buzzer D+P
Floor mats
Bench front seat
Headlamp levelling (manual)
Glove box with key
Power door lock (4x4)
Wireless power door lock (4x4)
Power windows (4x4) Auto Up & Down - Driver

Exterior:

Deck guard frame
Black door handles & outside mirrors
Colour painted front bumper
Black front grille
Mud guards (front and rear)
J-Deck type cargo area (outside hooks)
Electronic adj. outside mirrors (4x4)

Safety:

ABS - Anti-lock Braking System
EBD - Electronic Brake force Distribution
BA - Brake Assist
High mounted brake light (LED)
Driver & passenger airbags (SRS)
Driver knee airbag (SRS)
ISOFIX points for child safety on rear outer seats (x2)
Child lock
Vehicle Stability Control (4x4)
HAC - Hill Start Assist Control, automatic (4x4)

Safety:

TSC - Trailer Sway Control (4x4)

Technical:

Headlamp 2-bulb halogen
Tyre dimensions 225/70R17C
Steel wheels
80L fuel tank capacity
Rear differential lock
1 power socket 12V
Vehicle width 1.800 mm
Overall height 1.815 mm
Overall length 5.325 mm
Min. ground clearance 310 mm
Towing capacity 3.500/2750 kg (with brakes)
Engine oil level warning
ECO driving indicator
Pitch and Bounce Control
Steel spare tyre

COUNTRY - on top of WORK

Interior:

Separate front seats
Seat back pocket
4 speakers (for 4x2)

Exterior:

Side steps with black cover, narrow (for 4x2)
Rear bumper (painted)
Colour painted front grille (for 4x2)

Safety:

Immobilizer and siren

Technical:

4WD switch (for 4x4 models)
Central differential lock (for 4x4)

COMFORT - on top of COUNTRY

Interior:

Exterior:

Colour painted front grille
A-Deck type cargo area (inside hooks)

Technical:

COMFORT PLUS - on top of COMFORT

Interior:

Multi information display (Colour TFT)

Exterior:

Without deck guard frame

Technical:

Exterior:

Wide over fender and bumper
Turn signals on side mirrors

Safety:

Curtain airbags (SRS)
Side airbags (SRS)

Alloy wheels
Tyre dimensions 265/65 R17
Sequential Switch Tronics (1H only)
Headlamp 4-bulb halogen
Alloy spare tyre

ACTIVE - on top of COMFORT PLUS

Interior:

Leather steering wheel
Leather shift lever & knob
Chrome details on parking brake
Inside door handles in chrome
Door trim in high fabric
High quality fabric seat material

Interior:

Rear armrest with cupholders
Front seat adjustment (Driver)
Seat back pocket with hooks

Exterior:

Black B pillars

Exterior:

Side steps with black cover, narrow
Chrome door handles & outside mirrors

Technical:

ECO and POWER drive mode selector
Sequential Switch Tronics

EXECUTIVE - on top of ACTIVE

Interior:

Radio AM/FM, MP3, CD/DVD
Multimedia touch screen 8" (20 cm)
Reverse camera (back monitor)
6 speakers
Auxiliary input USB
2 power sockets 12V
Power seat adjustment for front D+P (1L and 1O)
Power windows auto up/down (all)
Window jam protection (all)
Glove box with key and damper
Automatic air conditioner (1L and 1O)
Leather seats (1L and 1O)
Leather door trim (1L and 1O)
Front cool box

Exterior:

LED rear combination lamps
LED type main headlamps
LED Daytime Running Lights
Auto levelling main headlamps
Smart entry & Start system ("keyless" entry & start)
Automatic light control
Follow me home lighting system
Outside mirrors electrically adjustable & retractable
LED type front fog lamps
Chrome front grille.

Safety:

Immobilizer and siren, ultrasonic sensor

Technical:

Tyre dimensions 265/60R18 (1L and 1O only)
Clearance & Back Sonar (1L only)
Cruise control
Rain sensor, automatic wipers control
iMT - Intelligent Manual Transmission
VSC - Vehicle Stability Control with LSD
DAC - Downhill Assist Control
HAC - Hill Start Assist Control, automatic
A-TRC - Active Traction Control
EBS - Emergency Brake Signal
TSC - Trailer Sway Control
Optitron gauge lighting



*only for 6 A/T Executive models

HILUX

